

J. ERNEST KENNEY
EUGENE MAR
RICHARD E. FICHTER
THOMAS J. MOORE
ERIC S. SPECTOR
FELIX J. D'AMBROSIO
BENJAMIN E. U'CELIA
JUSTIN J. CASSELL
JOHN R. SCHAEFER

LAW OFFICES
BACON & THOMAS, PLLC
625 SLATERS LANE - FOURTH FLOOR
ALEXANDRIA, VIRGINIA 22314-1176
U.S.A.

TELEPHONE
(703) 683-0500

FACSIMILE
(703) 683-1080
(703) 683-0884

E-Mail
mail@baconthomas.com

GEORGE CHUNG CHIN CHEN:

* BAR OTHER THAN VA
: REG. PATENT AGENT

FACSIMILE COMMUNICATION

To: Examiner J.V. Thompson
Fax #: 571 272-2189
Re: U.S. Patent Application No. 10/649,807
From: Felix J. D'Ambrosio
Total pages: 38

Date: July 27, 2005

Confidential/Privileged

This communication contains confidential information that is intended to be received and read only by the party named as addressee (listed after "To:" at the left). This communication may contain information that is subject to the attorney/client privilege and/or a court order restricting its dissemination. No one else is entitled to read, use, copy or disseminate this communication or the information contained herein. If you are not the addressee, or the agent of the addressee, then contact us immediately by telephone (collect) or facsimile and arrangements will be made for the return to us of this communication.

Thank you, **BACON & THOMAS, PLLC.**

Message:

PATENT**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Application of:

M. KEITA et al.

Group Art Unit: 3941

Serial Number: 10/648,807

Examiner: J.V. Thompson

Filed: August 27, 2003


Attorney Docket: KEIT3001/FJD

For: METHOD FOR DETERMINING A MASS
FLOW OF A FLUID FLOWING IN A PIPE**VIA FACSIMILE****RESPONSE TO TELEPHONE INTERVIEW**Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In response to the telephone interview with the examiner earlier today, submitted herewith is a copy of the text of the application as filed with the pages numbered, and replacement sheets for Figs 4D, 5D and 6D.

Respectfully submitted,


Felix J. D'Ambrosio
Reg. No. 25,721

July 27, 2005

BACON & THOMAS< PLLC
625 Slaters Lane
4th Floor
Alexandria, VA 22314
(703) 683-0500